

2-WAY COAXIAL SYSTEM **Pure Coaxial** 66.2



Enjoy it.

Pure Coxial 66.2

We provide a manufacturer's warranty for products bought within the European Union. For devices purchased outside the European Union, the warranty terms issued by our respective responsible domestic agency are valid. The warranty terms can be called up from www.blaupunkt.com.

Safety Notes

Please observe the following safety notes during the installation and connection.

- Disconnect the negative pole of the battery! Observe the safety notes of the vehicle manufacturer.
- When you drill holes, ensure that you do not damage any vehicle components.
- · Use cable glands for holes with sharp edges.
- Leave ample clearance between the cables and other harnesses.
- An incorrect installation can result in malfunctions of the electronic vehicle systems or your car sound system.

Recycling and disposal



 $Please \, use \, the \, return \, and \, collection \, systems \, available \, to \, dispose \, of \, the \, product.$


Subject to changes!


Technical data

Performance

Peak power handling 280 watts RMS power handling 40 watts **Impedance** 4 ohms Frequency response 60-22000 Hz Sensitivity 90 dB (2.83V/m)

Installation





India Toll Free: 1800 209 6820 info@blaupunkt.in

Blaupunkt India Private Limited 47, Atlanta Society, Nariman Point Mumbai- 400 021. Maharashtra

www.blaupunkt.com